#412 P.004/022

From: Soroker-Agmon

Defeted: 080826B - 0002311USU -2279 - Claims Presented By Amendment 2.doc

.... 66,

Deleted: the elements of

1. (currently amended) A system for optimizing a performance of an operating c least one aerial vehicle during at least one close-in air combat the system comprising: an assessment information database implemented on at least one computer; and an assessment and guidance software application implemented on the at least on computer for providing in real-time automatic situation assessment, genera dynamically at least one indication related to the at least one close-in air co communicating the at least one indication as guidance to the operating crev least one aerial vehicle, wherein said automatic situation assessment relate situation of a dog fight air combat between two aircraft vehicles.

2. (Currently amended) The system as claimed in claim 1 wherein the assessmen information database comprises:

an aircraft characteristics file comprising an aircraft flight envelope, aircraft ma energy graphs, models and limitations, and aircraft weapon system charact a set of formulas for an optimal relative maneuvering file; and an external information file.

Deleted: the elements of

Deleted: the elements of

Deleted: the

Deleted: the Deleted: the

Defeted: the

Deleted: the

Deleted: the

Deleted: the Deleted: the Deleted: the

3. (Currently amended) The system as claimed in claim 1 further comprises at le computer installed on the at least one aerial vehicle or on at least one ground station to store, process and forward data specific for optimization of a conduct of an at least on engagement.

4. (currently amended) The system as claimed in claim 1 further comprising at 1off-board computer installed in at least one ground station to provide additional data s for optimization of a conduct of the at least one close-in air combat.

5. (Currently amended) The system as claimed in claim 1 further comprising at 1 sensor device installed on the at least one aerial vehicle to dynamically monitor physi-Deleted: the participant elements of variables associated with aircraft vehicles participating in the at least one close-in air

2

To: 01215712738300

#412 P.005/022

10/03/2009 17:21

Deleted: 080826B - 0002311USU -- Claims Presented By Amen

From: Soroker-Agmon

.... 66

close-in air combat.

Deleted: the

Deleted: he participant elements of

6. (Currently amended) The system as claimed in claim 1 further comprising at 1 sensor device installed in an at least one ground station to monitor physical variables with t aircraft vehicles participating in the at least one close-in air combat.

data communication network linking the at least one aerial vehicle and an at least one

station to allow for transmission or reception of information associated with the at lea

7. (Currently amended) The system as claimed in claim 1 further comprising at 1

Deleted: the

Deleted: the clements of

Script Font: 13 pt

Deleted: the

Deleted: the

Deleted: the

Deleted: the

Deleted: current Deleted: aerial engagement

Deleted: system

Deleted: the requested

Formatted: Font: 13 pt. Complex

Defeted: an information-marshall module to organize the information received from various sources;

Deleted: the

Deleted: the

8. (Currently amended) The system as claimed in claim 1 wherein the assessmen guidance software application comprises:

an application control module to initiate, to activate, to control and to execute th assessment and guidance software application;

a database interface module to allow for access the assessment information datal to obtain records from the assessment information database:

a parameters processor module to handle operational parameters of the aircraft v

a situation analyzer and mapping module to analyze at least one situation concer at least one close-in air combat; and

a response assessment and response selector module to generate or select at leas response associated with an at least one current situation and an at least on situation.

Deleted: any one of the elements of

9. (Currently amended) The system as claimed in claim 8 wherein the assessmen guidance software application further comprises:

a future situations projector and mapping module to create at least one potential situation and associating the at least one potential future situation with the one current situation;

3



Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amer Deleted: a post-combat debriefing Deleted: the Deleted: Deleted: the

Deleted: an air combat formulas o

Deleted: the

Deleted: the

Deleted: the

Defeted: the

Deleted: the

Deleted: required

Deleted: the diverse

From: Soroker-Agmon

a guidance generator module to convert at least one selected response to at least guidance instruction;

a guidance display module to communicate at least one guidance instruction to t operating crew;

an aircraft status and system status monitor;

a learning and adaptation module;

a history generator and history replay module;

a set of rules module or algorithm;

a testing/maintenance/initialization module; and

a user interface module.

10. (Currently amended) The system as claimed in claim 1 wherein the at least of computer further comprises the elements of:

a communication device to link the at least one computer to remote information via an at least one data communication network;

a processor device to execute a sequence of software instructions embedded in t assessment and guidance software application;

digital signal processor device to process digitally formatted information from a one sensor device and from an at least one data communication network; a a data bus device to provide at least one data delivery channel among devices in an at least one on-board device.

11. (original) The system of claim 10 further comprising a sound synthesizing d generate audio instructions to be communicated to the operating crew of the least one vehicle.

12. (Currently amended) The system as claimed in claim 8 wherein the assessment guidance software application further comprises any one of the elements of:

Deleted: 080826B · 0002311USU - 2279 · Claims Presented By Amendment 2.doc

Deleted: the

Deleted: the

Deleted: the

Deleted: the

an operating system to supervise and control execution of programs installed in least one computer;

a data link handler component to initiate transmission of outgoing information a

receive incoming information from an at least one data communication net
an input/output handler component to supervise and control peripheral devices I

the at least one computer;

a database handler component to initiate access to the assessment information di

13. (original) The system as claimed in claim 11 wherein the sensor device is an instrument providing an indication as to parameters of flight.

14. (original) The system as claimed in claim 11 wherein the sensor device is a positioning system device.

## 15. (cancelled)

16. (original) The system as claimed in claim 1 wherein the at least one aerial veran unmanned combat aerial vehicle.

## 17. (cancelled)

- 18. (original) The system as claimed in claim 1 wherein the operating crew is a located operator.
- 19. (original) The system of claim 3 wherein the <u>at least one</u> computer is an onb computer located within the <u>at least one</u> aerial vehicle.



To:01215712738300

From: Soroker-Agmon

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendm .... 66.

#412 P.008/022

10/03/2009 17:24

Deleted: the element of 20. (Currently amended) The system as claimed in claim 1 further comprises a v Deleted: the display device to communicate an at least one instruction to the operating crew in a v manner. Deleted: the element of 21. (Currently amended) The system as claimed in claim 1 further comprises an Deleted: the output device to communicate an at least one instruction to the operating crew in an a manner. Deleted: the eler 22. (Currently amended) The system as claimed in claim 1 further comprises a r input device to communicate control information from the operating crew to the syste 23 - 26. (cancelled) Deleted: the 27. (Currently amended) A method for optimizing a performance of an operating at least one aerial vehicle during at least one close-in air combat by providing in realautomatic situation assessment data and by generating dynamically at least one instru by communicating the at least one instruction as guidance to the operating crew of the one aerial vehicle, the method comprising the steps of: for each one of at least two aerial vehicles: Deleted: the obtaining air combat engagement and energy information required for analysis ( combat situation; Deleted: the obtaining aircraft characteristics information required for the analysis of air com situation: obtaining aircraft weapon system characteristics information; and obtaining remotely sensor-specific information; analyzing the situation between the at least two aerial vehicles and mapping the Deleted: the situation in relation to previously analyzed situations between the at least t vehicles:

... 66

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendment

Deleted: generating at least one future potential air combat situation based on the at least one mapped air combat situation!

Deleted: at least one optimal future

determining at least one optimal state of the at least one aerial vehicle based on a least one optimal air combat situation between the at least two aerial vehicle generating at least one recommendation concerning a preferred maneuvering of least one aerial vehicle based on the analyzed situation between the at least aerial vehicles, aircraft characteristics and aircraft weapon system characteristics information.

28. (Currently amended) The method as claimed in claim 27 further comprises t of:

transforming the at least one recommendation into at least one guidance indicate displaying the at, least one guidance indicator to the operating crew of the at least one aerial vehicle to enable an application of associated commands to the contagril vehicle.

29. (Currently amended) The method as claimed in claim 27 further comprises transforming the at least one recommendation into at least one direct input commands automatically applied to suitable controls of the at least one-aerial vehicle.

30. (Currently amended) An apparatus for optimizing the performance of an ope crew of at least one aerial vehicle during at least one close-in air combat by providing time automatic situation assessment, the apparatus comprising:

a device for: obtaining air combat engagement and energy information required analysis of the air combat situation;

obtaining aircraft characteristics information required for the analysis of the air situation;

obtaining aircraft weapon system characteristics information; and obtaining remotely sensor-specific information; an analysis device for:

7

Deleted: the
Deleted: the

Deleted: the

From: Soroker-Agmon To: 01215712738300 10/03/2009 17:35 #412 P.010/022

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendment ----\_ 66

analyzing the situation between the at least two aerial vehicles and mapping the situation in relation to the previously analyzed situations between at least t vehicles;

Deleted: generating at least one future potential air combat situation based on the at least one mapped air combat situation.

based on the analysis determine at least one optimal state of the at least one aeri: based on the at least one optimal air combat situation between the at least t vehicles; and

generating at least one recommendation based on the at least one optimal future air combat situation between the at least two aerial vehicles.

Deleted: the

31. (original) The apparatus as claimed in claim 30 further comprises:

a transforming device for transforming at least one recommendation into at least guidance indicator; a display device for displaying the at least one guidanc indicator to the operating crew of the at least one aerial vehicle to enable the application of the associated commands to the controls of the aerial vehicle

32. (original) The apparatus as claimed in claim 30 further comprises a transform device for transforming the at least one recommendation into at least one direct input commands to be automatically applied to suitable controls of the at least one aerial ve

Deleted: the

Deleted: aircraft

33. (Previously added) The system as claimed in claim 1, further comprising an identifying element for identifying the <u>aerial vehicle</u>.

34. (Previously added) The system as claimed in claim 1, wherein the assessmen

guidance software application provides accurate speed and direction guidance.

Deleted: the

35. (Currently amended) The system as claimed in claim 1, wherein the assessm guidance software application provides guidance according to a flight path of an adve aircraft.

8

From:Soroker-Agmon

To:01215712738300

10/03/2009 17:36

#412 P.011/022

Deleted: 080826B - 0002311USU -2279 - Claims Presented By Amendment 2.doc

36. (Previously added) The system as claimed in claim 1, wherein at least a port situation assessment is a function of ammunition data.

